

CHEMICAL COMPATIBILITY CHART

A partial list of liquids that can be absorbed

| | | | | | |
|----------------------------|----------------------------|----------------------|------------------------|------------------------------|---------------------|
| Acetic Acid | Bromine | Diesel | Hydrazine, Anhydrous | Nitrobenzoic Acid | Sulfuric Acid |
| Acetic Anhydride | Butanol | Diethyl Ether | Hydrochloric Acid | Nitrotoluene | Tannic Acid |
| Acetone | Butyl Acetate | Diethylamine | Hydrogen Peroxide | Octane | Tetrachloroethylene |
| Acetonitrile | Butylamine | Dimethylformamide | Isobutyl Alcohol | Oleic Acid | Tetrahydrofuran |
| Acrolein | Butyric Acid | Dinitrobenzene | Isobutyric Acid | Paint | Thionyl Chloride |
| Acrylic Acid | Calcium Chloride Solution | Dioxane | Isopentyl Acetate | Perchloroethylene | Toluene |
| Acrylic Emulsions | Calcium Hydroxide Solution | Diisooctyl Phthalate | Isopropanol | Petroleum Ether | Transformer Oil |
| Acrylonitrile | Carbolic Acid | Ethanol | Isopropyl Acetate | Phenol | Transmission fluid |
| Allyl Alcohol | Carbon Disulfide | Ether | Isopropyl Alcohol | Phosphoric Acid | Trichloroethylene |
| Aminobenzoic Acid | Carbon Tetrachloride | Ethyl Acetate | Kerosene | Plating Solutions | Triethylamine |
| Ammonium Fluoride Solution | Castor Oil | Ethyl Alcohol | Ketones | Propanol | Triethylene Glycol |
| Ammonium Hydroxide | Chlorine Water | Ethyl Benzene | Linseed Oil | Propionic Acid | Turpentine |
| Amyl Acetate | Chloroacetic Acid | Ethyl Chloride | Lubricating Oil | Propyl Alcohol | Urine |
| Amyl Alcohol | Chlorobenzene | Ethyl Ether | Malathion | Propylene Glycol | Vinegar |
| Aniline | Chloroform | Ethyl Propionate | Methanol | Quinoline | Vinyl Acetate |
| Aqua Regia | Chlorosulfonic Acid | Ethylene Glycol | Methyl Chloride | Resorcinol Solution | Water |
| Auto coolant | Chromic Acid | Formic Acid | Methyl Ether | Salt Solutions (metallic) | Xylene |
| Aviation Fuel | Citric Acid Solution | Formaldehyde | Methyl Ethyl Ketone | Silicone Oil | |
| Barium Chloride Solution | Clorox | Fuel Oil | Methyl Isobutyl Ketone | Silver Nitrate Solution | |
| Benzene | Cottonseed Oil | Gasoline | Methyl Propionate | Soap Solution (concentrated) | |
| Benzoic Acid | Cresol | Gear Oil | Mineral Oil | Sodium Bicarbonate Solution | |
| Benzonitrile | Cupric Chloride Solution | Glacial Acetic Acid | Mineral Spirits | Sodium Chloride Solution | |
| Benzoyl Chloride | Cyclohexane | Glycerol | Motor Oil | Sodium Hypochlorite | |
| Benzyl Alcohol | Detergents | Heptane | Naphtha | Sodium Nitrate Solution | |
| Boric Acid | Dichlorobenzene | Hexane | Nitric Acid | Stannic Chloride Solution | |
| Brake Fluid | Dichloromethane | Hydraulic Oil | Nitrobenzene | Sucrose Solution | |

Do not use Floor-Dry™ or Solid-a-Sorb® to absorb hydrofluoric acid or concentrated sodium hydroxide solutions. Be advised that when using ANY absorbent that flammable materials, especially those that have a tendency to auto-ignite, may still burn or auto-ignite even after they are absorbed. Dispose of all absorbed product promptly, properly and in accordance with applicable laws.